

Covers

Certikin Solar Blanket - High Performance Geo-bubble


What shape is a bubble?

Traditional bubble cover materials have always made use of a circular/cylindrical bubble design, but experience has begun to show that this design offers multiple weak points which can be prone to premature failure in the harsh environments of a swimming pool.

The new Geo-Bubble extrusion has specifically been created to combat the attacks of UV and pool chemicals and has converted the limitations of a traditional bubble to great advantages.

Sharp corners which were once an area of high stress have been replaced by a smoother, more uniform shape and a thickness of material (50% thicker than standard bubble) which considerably increases the bubbles resistance to attack from the water. On the surface, improved UV additives, stabilisers and anti-oxidants have added to the covers overall durability and within the bubble a larger cavity offers more room for air expansion.

All in all, Geo-Bubble covers offer excellent levels of performance and durability over standard pool covers.



Unique Geo-bubble design


Geo-Bubble - 600 Micron Blanket



Geo-Bubble - 600 Micron Blanket

Code	Description	Price Euros €
SBNPG/E	Per m2 - Geo-bubble 600 micron	

- Blue / silver colour
- 6 year pro-rata guarantee
- Unique GeoBubble design and technology
- Reflective underside increases heat retention
- 2060mm panel width
- 564g per m2




New Geo-Bubble technology has been used to further increase the performance of the existing range of 'Guard' products, and for Certikin's exclusive 600 micron blue / silver bubble cover.

Solar Blanket - Geo-Bubble



Geo-Bubble - 400 Micron Blanket - Blue / Blue

4 YEAR
PRO-RATA
WARRANTY



- Blue / blue colour
- High performance Geo-Bubble design
- Extended life span
- Translucent colouring
- 2060mm panel width
- 368g per m2

Code	Description	Price Euros €
SBTPG/E	Per m2 - Geo-bubble 600 micron	

Geo-Bubble - 400 Micron Blanket - Blue / Silver

4 YEAR
PRO-RATA
WARRANTY




- Blue / silver colour
- High performance Geo-Bubble design
- Reflective underside - increases heat retention
- Translucent colouring
- 2060mm panel width
- 368g per m2

Code	Description	Price Euros €
SBTDPG/E	Per m2 - Geo-bubble 400 micron	

Geo-Bubble - 500 Micron Blanket - Blue / Blue

5 YEAR
PRO-RATA
WARRANTY




- Blue / blue colour
- High performance Geo-Bubble design
- Extended life span
- Translucent colouring
- 2060mm panel width
- 368g per m2

Code	Description	Price Euros €
SBCPG/E	Per m2 - Geo-bubble 500 micron	

Geo Bubble Jumbo Rolls - Suitable For European Use


Code	Description	Price Euros €
SBTPGJR4/E	Geo bubble - blue / blue 400 plain solar blanket 4m x 50m	
SBTPGJR5/E	Geo bubble - blue / blue 400 plain solar blanket 5m x 50m	
SBTPGJR6/E	Geo bubble - blue / blue 400 plain solar blanket 6m x 50m	
SBTDPGJR4/E	Geo bubble - blue / silver 400 plain solar blanket 4m x 50m	
SBTDPGJR5/E	Geo bubble - blue / silver 400 plain solar blanket 5m x 50m	
SBTDPGJR6/E	Geo bubble - blue / silver 400 plain solar blanket 6m x 50m	
SBCPGJR4/E	Geo bubble - blue / blue 500 plain solar blanket 4m x 50m	
SBCPGJR5/E	Geo bubble - blue / blue 500 plain solar blanket 5m x 50m	
SBCPGJR6/E	Geo bubble - blue / blue 500 plain solar blanket 6m x 50m	





Solar Blanket - Geo-Bubble

Sol+Guard

The highly efficient Sol+Guard offers high performance in solar gain and heat retention. The highly transparent material, with just a hint of turquoise colouring to the bottom layer allows high levels of solar entry into the pool and the 500 micron thickness provides durability, good heat retention and low water loss levels.



- Highly translucent material - very subtle hint of turquoise
- 6 year pro-rata guarantee
- Unique Geo-Bubble design and technology
- Can increase pool water temperature by up to 8 degrees C
- 2060mm panel width
- 460g per m2




Plain Cover

Code	Description	Price Euros €	Jumbo Rolls
SBSPG/E	Per m2	14.36	
SBSPGJR4/E	4m x 50m		
SBSPGJR5/E	5m x 50m		
SBSPGJR6/E	6m x 50m		



Energy Guard

Manufactured with a unique deep grey surface and black underside, Energy Guard offers a wide range of benefits making it an excellent all round cover.

The dark colouring of the material reduces the amount of sunlight which can penetrate into the pool and hence inhibits the growth of algae making for safer, cleaner water. The dark colour also absorbs heat from the sun and transfers it directly into the pool water thus reducing energy bills.





- Unique grey / black colour
- 6 year pro-rata guarantee
- Ultra tough materials - maximum durability
- Opaque colouring inhibits algae growth
- 2060mm panel width
- 460g per m2



Plain Cover

Code	Description	Price Euros €	Jumbo Rolls
SBEPG/E	Per m2	14.36	
SBEPGJR4/E	4m x 50m		
SBEPGJR5/E	5m x 50m		
SBEPGJR6/E	6m x 50m		




Cool Guard

The innovative Cool Guard cover inhibits swimming pool algae, reflects the sun's heat and saves money, time, water and energy usage. The product has an opaque light blue top surface and a black underside. It is this combination that gives Cool Guard blanket the ability to provide a variety of benefits to the pool owner.

Plain Cover

Code	Description	Price Euros €	Jumbo Rolls
SBCGP/E	Per m2	14.36	
SBCGJR4/E	4m x 50m		
SBCGJR5/E	5m x 50m		
SBCGJR6/E	6m x 50m		




Aquablade Leading Edge Towing System & Floating Cover Accessories

Give your customers an edge with the Aquablade Leading Edge Towing System. For the effortless application of any cover the Aquablade is unparalleled. Made from tough foam filled netting, it will not fill with water and will keep the cover buoyant at all times.

Aquablade Leading Edge Towing System

Code	Description	Price Euros €
AQB1/E	DIY domestic 3.65m (12')	
AQB1F/E	Factory fitted domestic 3.65m (12')	
AQB2/E	DIY domestic 4.88m (16')	
AQB2F/E	Factory fitted domestic 4.88m (16')	
AQB3/E	DIY Domestic 6.10m (20')	
AQB3F/E	Factory fitted DIY domestic 6.10m (20')	
AQBC1/E	Commercial up to 8 metres	
AQBC2/E	Commercial up to 10 metres	



Aquablade towing system with factory stitched PVC bridge.

Additional Extras - For All Floating Pool Covers

FCHEM/E	Hemming - per running metre	
FCLAD/E	Hemmed ladder cut out - per ladder	
FCRAIL/E	Single hemmed rail cut out - per metre	
FCSRE/E	Shaping for Roman ends / steps / corners	
FCRT/E	Reinforced tail edge - per metre	
FCRS/E	Reinforced sleeve - per metre (specify sleeve diameter)	
FCSHAP/E	Freeform shaping - per m2 of total cover	
FCEX4/E	Factory stitched PVC bridge for 4' radius RE	
FCEX5/E	Factory stitched PVC bridge for 5' radius RE	
FCEX6/E	Factory stitched PVC bridge for 6' radius RE	

Factory bridges are designed to allow a roman end to be fitted to your blanket along with a full width Aquablade - all items should be ordered separately and are factory fitment only.



Our Universal Cover To Roller Strap Kit is suitable for most domestic rollers currently available on the market. The nine strap kit (either 1m or 3m straps) contains cover connectors, quick release buckles and a selection of roller connections which allow fitting to the current and old Certikin Atlas roller, the Plastica Slidelock roller and any roller which requires push through grommets (e.g. Aquamat) – there is also a self-drilling screw attachment option which will work on practically any aluminium roller tube.

Additional Extras - Cover To Roller Connection

DRCCTR101/E	Universal cover to roller strap kit - 1 metre strap	
DRCCTR103/E	Universal cover to roller strap kit - 3 metre strap	



Premium Protect Solar Sheet

PPSS25/E	Premium protect solar sheet 25 x 1m	
PPSS06/E	Premium protect sheet 6 x 1m	
PPSSK1/E	Solar sheet strap kit - 3 adjustable straps	

Premium Protect Solar Sheet

Whilst Certikin solar blankets are supplied with a complimentary, basic solar protect sheet, for much improved performance and longer lasting protection, the Premium Solar Protect Sheet is the ideal choice.

When off the pool and on the reel, any solar cover left unprotected in direct sunlight can be in serious trouble. Temperature within the coiled layers of the cover increases rapidly and can have an irrecoverable effect on the solar blanket – de-lamination being a very common problem seen on an unprotected solar cover. A solar cover is an investment - the Premium Protect Solar Sheet keeps it working at its premium level.

- Can reduce temperatures within a coiled cover by up to 30deg C
- Significantly reduces risk of non-warranty failure
- Extends the life and performance of any solar blanket
- UV stabilised reflective material
- Easily secured with the Solar Sheet Strap Kit.

Certikin Winter Debris Covers

Image used with kind permission of Royal Pools



Maple Winter Debris Cover



Tan WDC C/O Safe-T-First, Cyprus


At point of order please specify if dimensions given are pool or cover size.

Winter Debris Covers


- Certikin winter debris covers are manufactured to the highest standards using the finest grade woven polyethylene.
- They are available in an attractive forest green or blue.
- Covers should be ordered to allow for a 300mm (1') overlap around the full perimeter. When ordering please add 600mm (2') to each dimension.
- Covers are invoiced in metric to the actual square metre finished size.
- Supplied in box and with storage bag.
- Freeform covers are made to the dimensions and drawings supplied at the time of order and will be charged using the widest measurements of the pool.
- Extra large covers of 17m x 6m or more can only be manufactured in the Maple style and a 24% surcharge will be applied.
- Our new tan colour is an excellent complement to stonework or decking
- Closer strap spacing or strps longer than 1m carry a 10% surcharge.



Tan



Green



Blue


Also available in grey

Certikin Winter Debris Covers

Code	Description	Price Euros €
WDMB/E	Maple blue winter debris cover	
WDMG/E	Maple green winter debris cover	
WDMT/E	Maple tan winter debris cover	
WDXB/E	Criss cross blue winter debris cover	
WDXT/E	Criss cross tan winter debris cover	
WDXG/E	Criss cross green winter debris cover	
WDCB/E	Cedar blue winter debris cover	
WDCG/E	Cedar green winter debris cover	
WDCT/E	Cedar tan winter debris cover	
WDMNG/E	Maple ultra green winter debris cover	

- When ordering please suffix code with G, B or T to indicate colour required.
- The above prices are for square and rectangular covers. For shaped pools add an extra 15% to the above.
- Maple - Made from woven polyethylene with re-inforced corners, anti-chaffing strips and stainless steel fixings at approximately 1.2-1.5m centres.
- Criss Cross - As for the Maple but with webbing straps stitched across the full length and width of the cover for extra strength.
- Cedar - As for the Maple but includes a tough PVC skirt stitched to the underside of perimeter and fixings at approximately 1m centres.

MINIMISES
LIGHT
PENETRATION



Dense 288g/m2 material offers maximum shading and improved strength.

Certikin Maple Ultra Winter Debris Cover.

The Certikin Maple Ultra WDC combines the classic style and simplicity of the existing maple cover but with the superior strength of our new 288g/m2 high density woven polypropylene fabric (as opposed to the standard 157g/m2 fabric).

The Ultra WDC material is a UV stabilised woven fabric with high weathering and chemical resistance. It's density offers maximum shading capacity, significantly reducing the growth of algae, along with high strength and dimensional stability.

Traditional polished stainless steel spring and pin fixings are supplied as standard.

The Maple Ultra can only be manufactured for pools up to 40' x 20' (12m x 6m) in size, or equivalent.

(Covers overlap the pool edge by 30cm on each side as standard – ensure this is added into pricing).

Available in green only

Certikin Winter Debris Covers

Optional Extras

Code	Description	Maple	Criss Cross	Cedar	Maple Ultra
WDRE4/E	4' radius roman end				
WDRE5/E	5' radius roman end				
WDRE6/E	6' radius roman end				
WDSS/E	Small walk-in-step (max 3.25m ²)				
WDLS/E	Large walk-in-step (per sqm)				
WDHR/E	Hand rail slits (per pair)				
WDRIL/E	Single hand rail cut out (per m)				
WDRC/E	Replacement cover (per sqm) no fixings				

Please suffix code with either M, X or C to indicate style and then G or B to indicate colour

Certikin are happy to undertake repairs on an existing winter cover, however, priority will be given to new cover business during September and October - please return covers for repair before 1st August.

- In advance of making any returns please obtain a reference number.
- Springs and other fixings should be removed before returning the cover.
- We reserve the right to refuse work on any cover deemed to be un-hygienic
- Repair work which will cost less than £100 including transportation will be undertaken without consultation. For larger jobs a full quote will be supplied for authorisation.

Above Ground

Code	Description	Price Euros €
WDEG/AG/E	Above ground debris cover - green - per M ²	
WDEB/AG/E	Above ground debris cover - blue - per M ²	
WDHR/E	Handrail slits - per pair	

Above Ground Pools


Certikin Above Ground Winter covers are ideal for timber pools. Covers are manufactured from the same materials as standard debris covers and can be made to almost any size and shape; ladder entry points can also be included. Our standard design allows the cover to fold 50mm over the edge of the timber frame, but other preferences of sizing can be accommodated if specified at point of order. The perimeter of the cover incorporates a tough 25mm webbing through which eyelets are secured. For each eyelet an elasticated ball loop and stainless steel hook is provided (see image) to allow the cover to be tensioned and secured over the pool. (basic fixing screws are provided for each hook, but screws may not be suitable for all pools). Available in green and blue.



Blue WDC with ladder cut-out.
Image courtesy of Safe-T-First, Cyprus



WDC for timber above ground pools.



Low Profile Decking Fittings

Code	Description	Price Euros €
WDMG/DE/E	Maple debris cover - green - deck fitting - per m2	
WDMB/DE/E	Maple debris cover - blue - deck fitting - per m2	
WDHR/E	Handrail slits - per pair	

Low Profile Deck Fitting

Manufactured as per the Maple debris cover, but supplied with a fitting suitable to secure into a timber decking surround. The low profile brass fittings are sunk and secured into the timber deck and the screw fixings are hidden by a cover plate. The central anchor point is raised and lowered by means of an allen key so when not in use it sits flush with the top of the fitting. Heavy duty stainless steel springs allow for secure tensioning of the cover, but, combined with the brass deck fitting, offer a lower profile than the traditional spring and pin. Available in green and blue



Certikin Heat Retention Covers

Certikin Bubbleweave covers Shown with a Clifton Twin Roller



Heat retention bubble covers:

Certikin heat retention bubble covers are manufactured from the highest grade materials and are suitable for all pools. Based on a 400 micron density bubble material and with a tough, tear resistant woven surface, these covers are suitable for frequent use areas where durability is essential. Solar weave is particularly suitable for outdoor pools as it combines the features of a heat retention cover with the translucent surface of a solar blanket, thus also benefiting from solar gain. As with all Certikin covers, floor level welding makes them as flat and even as possible. Hemming is available for extra longevity, and covers can be made to size or are easily trimmed on site.

Solar Weave - 3 years pro-rata warranty

3 YEAR
PRO-RATA
WARRANTY



Solar Weave


- Tough, tear resistant top surface for longevity and improved heat retention
- Semi-transparent colouring also allows solar gain
- Increased UV protection
- Weight 540g/m² : 2060mm panel width : density 400 micron

Solar Weave - Plain Cover Only
3 years pro-rata warranty

Code	Description	Price Euros €
SWP/E	Per m2	

Bubbleweave - 3 years pro-rata warranty

3 YEAR
PRO-RATA
WARRANTY



Bubbleweave


- Opaque blue, reinforced top coat with extra UV protection
- Extremely tough, hard-wearing cover
- Weight 540g/m² : 2060mm panel width : density 400 micron

Bubbleweave - Plain Cover Only
3 years pro-rata warranty

Code	Description	Price Euros €
BWP/E	Per m2	

Certikin Heat Retention Covers

4 YEAR
PRO-RATA
WARRANTY




Thermalux 6mm Foam (blue/blue)

Code	Description	Price Euros €
TXP/E	Per m2 - Plain cover only	

- Tough woven surface and laminated underside
- Hemming optional - at extra cost
- 4 year pro-rata warranty
- 350g / m2 - panel width 1850mm
- R-value 0.16 / U-value 6.25

4 YEAR
PRO-RATA
WARRANTY



Thermalux 6mm Foam (white/blue)

Code	Description	Price Euros €
TXPW/E	Per m2 - Plain cover only	

- Unique solid white woven surface
- Joined with matching white strap
- 4 year pro-rata warranty
- 350g / m2 - panel width 1850mm
- R-value 0.16 / U-value 6.25


12 MONTH
WARRANTY



Thermalux 12mm Foam

Code	Description	Price Euros €
TXP12/E	Per m2 - Plain cover only	
TXP12/E	Jumbo Roll	

- Double thickness foam with lamination to both sides
- For use on pools / spas up to 40°C
- 1 year warranty
- Panel width 1850mm
- R-value 0.32 / U-value 3.1
- Jumbo Rolls to specifications - Minimum 100m²



Aqua- Spoiler

Code	Description	Price Euros €
AQSP12/E	Aqua-Spoiler - Boxed - for covers up to 12' (3.65m)	
AQSP16/E	Aqua-Spoiler- Boxed - for covers up to 16' (4.9m)	
AQSP20/E	Aqua-Spoiler- Boxed - for covers up to 20' (6.1m)	

Suffix the code with /W for white Aqua-Spoiler

Foam Heat Retention Covers

Certikin foam heat retention covers are manufactured from a closed-cell PE foam. Our 6mm Thermalux is suitable for all heat retention purposes on pools run up to 30°C and benefits from a laminated underside and a strong woven polyethylene top coat making it extremely hard wearing. The density of the material helps to keep light penetration to a minimum and therefore reduces algae growth.

NEW – New for 2014, our popular 6mm foam is now available with a solid white surface and joined with a matching solid white joint tape. The crisp white finish is ideal for blending with spas, white tiles and lighter coloured pool surrounds – or just to stand out! Overall performance of the cover is exactly the same as the traditional full blue foam.

Of course the main purpose of a heat retention cover is to limit heat loss and this is where foam covers come into their element – a good fitting and correctly used 6mm foam cover will eliminate heat loss by 85- 90%, significantly reducing running costs and offering a very quick payback period (retention and payback will differ from site to site).

Due to the nature of these materials and the manufacturing process, some creasing of the top coat can be present (especially on hemmed covers) and the cover may not lie perfectly flat – covers are rolled, not folded, for dispatch in order to eliminate these where possible.

Unless requested otherwise at time of order, all 6mm foam covers will be made approximately 30mm narrower than pool width to allow ease of movement on and off the pool. Covers over 10.5m in length will be seamed across the width of the cover. Covers at or over 100m² cannot be hemmed.

Spa / Hydrotherapy Foam

A dense 12mm foam which is ideal for spas and small hydrotherapy pools with running temperatures of up to 40degC. Double layered blue textured foam with a clear foil laminate to the top and bottom surfaces. Can be made into jumbo rolls (50m x 3m) for multiple cover cut outs. Panel width 1500mm. 1 year warranty

The Thermalux 12mm foam is not suitable for roller systems - and cannot be hemmed.

Modifications & Accessories: For all modifications and accessories, such as hemming, reinforcing, shaping, towing systems etc. Please see page 109

Aqua-Spoiler

Aqua-Spoiler is an extruded ABS leading edge system which is strong rigid and buoyant. It can be attached to foam and bubble covers, is easy to install and its rigidity means that only one central pulling point is required – the Aqua-Spoiler is supplied with a detachable rope.

Aqua-Spoiler is supplied as a boxed product only for site installation. Minimum cover width is 9'.

Eco Reel - Domestic Bubble Cover Roller


Our Eco-Reel roller offers exceptional value for money by combining high quality stainless steel end supports with a sturdy telescopic aluminium tube system and all the features you would expect from a premium style roller.

The Eco-Reel is available in three styles, mobile, fixed-floor and fixed-wall, each offering three size ranges for pools from 2.6m to 6.1m wide and is suitable for bubble covers up to 12m in length.

Each system includes a crank handle, a slide-lock anti-unwind system and fully adjustable cover-to-roller strap kit as standard.


Features

- High quality stainless steel end supports
- Sturdy telescopic aluminium tubing
- Easy turn crank handle
- Slide-lock locking system on all models
- Adjustable cover to roller kit with all models
- Suitable for bubble covers from 2.6m to 6.1m wide




Eco - Mobile

Code	Description	Price Euros €
DRERM43/E	Eco-Reel - Mobile 2.6m - 4.3m	
DRERM57/E	Eco Reel - Mobile 4.1m - 5.7m	
DRERM61/E	Eco Reel - Mobile 5.3m - 6.1m	




Eco - Floor

Code	Description	Price Euros €
DRERF43/E	Eco-Reel - Floor Fixed 2.6m - 4.3m	
DRERF57/E	Eco-Reel - Floor Fixed 4.1m - 5.7m	
DRERF61/E	Eco-Reel - Floor Fixed 5.3m - 6.1m	



Eco - Wall

Code	Description	Price Euros €
DRERW43/E	Eco-Reel - Wall 2.6m - 4.3m	
DRERW57/E	Eco-Reel - Wall 4.1m - 5.7m	
DRERW61/E	Eco-Reel - Wall 5.3m - 6.1m	



Domestic Pool Cover Rollers

Rocky Roller & Winter Jackets



The Rocky Roller is the only domestic roller which carries a full 10 year manufacturer's guarantee, a testament to its strength and durability.

The end supports and winding handle are of simple, yet effective design. Made from high strength die cast aluminium with a baked enamel finish they are super tough, as well as being UV and temperature resistant. The three-piece telescopic tube has satin lustre anodised finish to match the durability of the end supports.

The Rocky Roller is suitable for covers up to 45' (13.7m) in length and 20' (6.1m) in width and comes complete with its own cover to roller strap connection system. The system can be permanently fixed to the deck (fixings not provided) or can be used as a mobile system by way of the 50mm heavy duty castors and anchoring system which come with each roller.

It is easy to assemble and easy to use – in fact the simplicity of the product is one of its benefits as there are minimal moving parts, hence fewer potential issues.


The Rocky Roller comes in a retail presentation box (pictured below) and is available as a single unit or as a permanent bulk buy offer eleven rollers for the price of ten.

Rocky Rollers

Code	Description	Price Euros €
RR3AAT-1/E	Rocky Roller 3A Portable Reel	
RR3AAT-10/E	Bulk - 11 for the price of 10	

Features:

- Strong die cast aluminium construction
- Super tough baked enamel finish to end supports
- Easy to assemble, install and use
- Complete with cover to roller straps, castors and anchoring system
- Light weight (6kg in total) yet extremely strong
- UV and temperature resistant
- Suitable for covers up to 45' x 20'



Winter Jacket

The NEW Winter Jacket is a simple but effective way of protecting your solar blanket over winter when stored on your pool roller. The Cover Jacket is suitable for any cover on any reel system, but is an ideal complement for our new Rocky Roller (see above). Manufactured from a tough woven polyethylene, the Cover Jacket has a full length zip, draw strings at both ends and wrap around straps to fully enclose and secure the coiled solar blanket. Cover Jacket is a simple, strong and easy to use product which will prolong the life of any bubble cover.

- Protective jacket for over winter storage.
- Full length zip, draw strings and security straps.
- Completely encloses and protects the coiled cover.
- Universal fit – suitable for any cover on any reel.
- Simple, strong and easy to use.

Winter Jacket

Code	Description	Price Euros €
HVWCR16/E	Cover Winter Jacket - up to 4.8 metres	
HVWCR18/E	Cover Winter Jacket - up to 5.4 metres	
HVWCR20/E	Cover Winter Jacket - up to 6 metres	



Sunrise Pool Cover Reel System



The Sunrise Reel System is a unique alternative to all other pool cover roller systems available. Whether deck mounted or in-ground, the Sunrise provides an automated, enclosed, reel system with a powered lid to reveal the cover when operation is required.

Above ground systems benefit from a high strength bench unit, covered in attractive, UV stabilised WPC cladding, whilst the in-ground system is surrounded by a heavy duty aluminium composite panel ready to be back filled around, leaving the clad and powered lid to raise from deck level and reveal the automated reel.

Features

- High quality enclosed bench system
- Automated lid and reel
- Remote control operation/manual controls to lid
- Solar powered with mains back-up
- No hard-wiring required
- Dis-engage reel release if required
- Heavy duty, pre-treated and powder coated, UV resistant aluminium frame
- UV resistant wood-plastic composite (WPC) cladding
- Modular system accommodates multiple pool sizes up to 6.6m wide
- Pre-wired for easy assemble
- In-ground model available
- 2 year manufacturer guarantee

Deck Mount System

Code	Description	Price Euros €
SRD26/E	Deck-mounted for pools to 2.6m - housing 3.2m	
SRD34/E	Deck-mounted for pools to 3.4m - housing 4.0m	
SRD42/E	Deck-mounted for pools to 4.2m - housing 4.8m	
SRD50/E	Deck-mounted for pools to 5.0m - housing 5.6m	
SRD58/E	Deck-mounted for pools to 5.8m - housing 6.4m	
SRD66/E	Deck-mounted for pools to 6.6m - housing 7.2m	

In-Ground System

SRIG26/E	In-ground for pools to 2.6m - housing 3.2m	
SRIG34/E	In-ground for pools to 3.4m - housing 4.0m	
SRIG42/E	In-ground for pools to 4.2m - housing 4.8m	
SRIG50/E	In-ground for pools to 5.0m - housing 5.6m	
SRIG58/E	In-ground for pools to 5.8m - housing 6.4m	
SRIG66/E	In-ground for pools to 6.6m - housing 7.2m	

Accessories

1215/E	Sunrise low voltage extension cable - 5m	
---------------	--	--



Sunrise In-ground Installation



Sunrise Pool Cover Reel System

One of the unique features of the Sunrise is that it allows enclosed storage of the reel and cover. This means the use of a high quality bench housing system at the pool end, or full deck access if the system is underground. The housed cover and reel are also offered extra protection which will extend their lives. Designed for the tough Australian climate, the frame work and cladding of the Sunrise is highly durable, UV stable and resistant to fading. The lid of the Sunrise is powered by actuators at each end is supported by a counterbalance stainless steel spring within each extension module to make the lid weight neutral when open and hence eliminate sagging.

Sunrise is designed to be simple and effective. The pre-wired modular system extends unit by unit to reach a size nearest to the pool width. No hard wiring is required as the pre-mounted, heavily protected solar panel generates all the power required – and for those prolonged periods without sun a simple plug in low voltage mains charger is include. All connections are 'plug and screw' and couldn't be simpler.

Even the operation of the Sunrise is easy – buttons to lift and close the lid and power the cover on and off the pool are on the unit lid, or full control is offered by one of the two remote control fobs provided with each system. All the user needs to do is guide the cover onto the pool and observe it when it is removed.

The design of the Sunrise extends to cover almost any eventuality. In addition to most components being replaceable should they ever fail, the system is fully operable should there be an electrical failure. The actuators which power the lid can be released from outside the housing in order that the lid can be lifted manually and the reel can be disengaged from the motor in order that it can be turned with the hand-wheel pre fitted to the unit.

All metal fixings used are stainless steel and all electrical connections have a minimum IP65 rating. The Sunrise is CE approved.

Both deck and in-ground systems are designed to be free draining so waters which are dragged off the pool by the cover will soon disperse (the in-ground system requires a soak away be made available underground before installation).



Sunrise Sizing Guide

RH Motor	LH Slave		Complete unit size 3.2m for pool widths up to 2.6m		
RH Motor	0.8	LH Slave	Complete unit size 4.0m for pool widths up to 3.4m		
RH Motor	1.6	LH Slave	Complete unit size 4.8m for pool widths up to 4.2m		
RH Motor	1.6	0.8	LH Slave	Complete unit size 5.6m for pool widths up to 5.0m	
RH Motor	1.6	1.6	LH Slave	Complete unit size 6.4m for pool widths up to 5.8m	
RH Motor	1.6	0.8	1.6	LH Slave	Complete unit size 7.2m for pool widths up to 6.6m

For all combinations orientate pool to be here

Semi Commercial Pool Cover Roller




Low Level Pedestal Roller

Our low level floor mounted pedestal roller acts as a large domestic or small commercial roller having a cover limit of 7m in length and limit of 25m. It is designed to carry any Certikin floating cover, which if ordered with the roller, will be fully connected at the point of manufacture to ease installation on site. The use of an Aquablade or Aqua-Spoiler towing system is highly recommended for covers on such rollers to ease operation. Please see page 109 and 113 for details.

For easier operation, the low level pedestal roller can be fitted with a 5:1 ratio gearbox - this can be added at the point of order, or retrospectively. This high quality system gearbox is hidden within the plastic splash covers and is not visible to users. Operation is by removable crank handle.

Bracketry for the low level pedestal system is manufactured from bright polished 316 grade stainless steel. Tubing will be 104mm or 153mm on the cover size being operated. All reel systems come complete with a removable, direct drive crank handle (capped at opposite end of reel) and include all cover to roller tapes for cover connection on site or in the factory if ordering a cover at the same time. Due to the small footprint of the pedestal system bracket, castors cannot be supplied and should not be added - this is a floor system (fixings not supplied).




Semi-Commercial Pool Cover Rollers

Code	Description	Price Euros €
CRFR4/E	Fixed low level pedestal reel - up to 4m	
CRFR5/E	Fixed low level pedestal reel - up to 5m	
CRFR6/E	Fixed low level pedestal reel - up to 6m	
CRRF7/E	Fixed low level pedestal reel - up to 7m	
CRGB1/E	5:1 Ratio gearbox - per reel	

Mobile Reel System - Twin

Code	Description	Price Euros €
CRTMRS4/E	Mobile Reel Twin - up to 4m	
CRTMRS5/E	Mobile Reel Twin - up to 5m	
CRTMRS6/E	Mobile Reel Twin - up to 6m	
CRTMRS7/E	Mobile Reel Twin - up to 7m	
CRGB1/E	5:1 Ratio Gearbox - Per Reel	

Our new, expanded range of mobile reel systems allows ultimate flexibility around the pool, offering full movement of a single or twin reel to and from the pool side for dispensing and collecting covers – the systems can then be easily and safely moved to a storage area. Both single and twin systems can be direct drive or have a 5:1 ratio gearbox added to make the winding of covers easier (recommended for covers of 100m² or more). Mobile reels are suitable for all styles of Certikin floating cover sized up to 25m x 7m



Mobile Reel System - Single

Code	Description	Price Euros €
CRMRS4/E	Mobile Reel Single - up to 4m	
CRMRS5/E	Mobile Reel Single - up to 5m	
CRMRS6/E	Mobile Reel Single - up to 6m	
CRMRS7/E	Mobile Reel Single - up to 7m	
CRGB1/E	5:1 Ratio Gearbox - Per Reel	

A bright polished 316 grade stainless steel 'T' bracket with single support for 104mm or 153mm aluminium tube. Complete with removable direct drive winding handle (capped at opposite end) and heavy duty 100mm lockable castors. Includes all cover to roller tapes for self-connection or connection in factory if ordering with a cover at the same time.