

Pool Liners

Certikin Pool Liners



SAMPLES - Free to good home!

In many instances, the impression seen of our pattern range in this price list just can't do the actual vinyl justice. The best way to establish how the pool will eventually look is to view the vinyl by browsing through one of our sample folders or retail hanging displays. All of our samples are provided free of charge and we would be pleased to supply one-off samples of a particular combination of vinyls if required.

To find out more, or to request samples please contact the Export Department.



Certikin have now been manufacturing liners for almost ten years – once the new kids on the block we are now firmly established within the liner market, and for good reason.

With a pattern and colour range which continues to provide the traditional options but also challenge the 'norm', we offer a wider choice than ever before to liven up almost any pool. In-house state of the art design and cutting procedures ensure even the most complex shapes and sizes can be re-created and our overall delivered package, which includes our unique reinforced card-fibre drum as opposed to a cumbersome box and a free-of-charge selection of Certikin liner fittings, offers value for money that nobody else can match.

Our pool vinyls are sourced from the world's leading vinyl manufacturers: Canadian General Tower; Elbtal Plastics and Renolit, all of whom create materials to exacting standards and have a combined manufacturing experience of over 160 years. This range of supply allows Certikin to have the widest choice of patterns and colours available in the UK market, including many exclusive designs, without compromising quality.

Modern design and manufacture techniques allow us to take these excellent materials and create a high quality liner for almost any size or shape of pool, including those with features such as ledges, freeform curves, cover pits and integral steps (see page 202 for more details).

As such, all of the liners Certikin manufacture, offer the following qualities and features:

- Lacquered surfaces over high quality prints to help guard against abrasion, staining and UV attack.
- Inclusion of anti-microbial bodies to help combat biological attack and marking.
- High levels of flexibility.
- High resistance to breaking, tearing and puncturing.
- Resistance to water temperatures up to 30degC.
- Resistance to pool chemicals in a balanced water environment.
- Manufactured in a clean, purposely equipped factory environment incorporating trained staff and cutting and welding machinery specifically designed for the manufacture of pool liners.
- 5 year pro rata guarantee

It should be noted that, despite best efforts and best practice during manufacture and despite use of the finest raw materials that the following restrictions apply and/or the following effects may be visible and are in no way classed as faults.

- Patterns on printed floor and wall panels and on tile bands, including mosaics, may not match at the seams due to high stretch factors, pattern complexity and cutting techniques – aesthetic quality is not regarded as a warranty issue – pool owners should be made aware of this when choosing a liner pattern.
- Many darker materials are printed on lighter backgrounds. It is therefore common to have a fine light-coloured line along each seam due to the flow of material as it fuses together – this is the mark of a solid weld and is not a fault.
- Liner installation should ideally not be attempted in temperatures of below 10°C as the stretch factor of the liner will be greatly reduced – if installation is planned in temperatures lower than this please contact us to discuss sizing.
- If you are not happy with the initial fit of the liner, stop the installation and call us to discuss.
DO NOT CUT THE LINER. Cutting of the liner will be seen as acceptance of the product.

Certikin Pool Liners

Plain Liners - price based on length and width

| Code | Description | Price Euros € |
|------|--|---------------|
| - | 0.75mm (30 thou) (per M ²) | |
| - | 0.85mm (35 thou) (per M ²) - Colour restrictions apply | |

Plain Liner + Tile Band - price based on length and width

| | | |
|---|--|--|
| - | 0.75mm (30 thou) (per M ²) | |
| - | 0.85mm (35 thou) (per M ²) | |

Mixed: Tile / Plain Wall / Pattern Floor - price based on length and width

| | | |
|---|--|--|
| - | 0.75mm (30 thou) (per M ²) | |
|---|--|--|

Full Pattern or Full Pattern + Tile Liners - price based on length and width

| | | |
|---|---|--|
| - | 0.5mm (20 thou) (per M ²) - while stocks last | |
| - | 0.75mm (30 thou) (per M ²) | |



SunSorb - NEW

SSORB Sun Sorb

Free of charge with every factory produced liner


Sun-Sorb:

Sun-Sorb attracts body oils, suntan lotions and cosmetics, providing better water quality, longer filter cycles and, primarily, helping to stop the formation of a scum line. Manufactured from patented, non-toxic, molecular foam, the Sun-Sorb is suitable for pools, spas and hot-tubs and can be floated in open water or placed in the skimmer.

The special foam repels water but will absorb up to 40 times its weight in body oils and suntan lotions and also attracts pollen – drawing all of these articles into the foam as opposed to settling on the pool wall or within the filter. Its large surface area means it will not get clogged in water lines and one Sun-Sorb will typically last one season in a pool or three months in a spa/hot tub under normal conditions.



Image courtesy of Ryedale Swimming Pools - Fully patterned Roman Mosaic Liner - Mid Installation.



SAMPLES - Free to good home!

In many instances, the impression seen of our pattern range in this price list just can't do the actual vinyl justice. The best way to establish how the pool will eventually look is to view the vinyl by browsing through one of our sample folders or retail hanging displays. All of our samples are provided free of charge and we would be pleased to supply one-off samples of a particular combination of vinyls if required.

To find out more, or to request samples (including cover samples) please contact Certikin North.



Packaging


Most Certikin liners will be delivered to the required address in a steel reinforced card-fibre drum so the liner can be rolled rather than carried to the pool side.

Certikin Pool Liners

Tile Band Option (combine with any wall and floor mix for an attractive and protected finish at the waterline)



Lincoln Grey



Lincoln Tan



Oxford Grey



Oxford Blue




Emerald




Bronze Star (WSL)




Grey Riverstone (WSL)



Aurora (WSL)



Royal Mosaic



Mosaic



Crystal Mosaic

Note: Tile band widths vary from design to design. Please enquire if this will be a concern.

Plain Liner Options (for an all over solid colour, or as a combination with any tile or pattern to create contrast)



White




Adriatic Blue




Ice Blue

Note: Tilebands widths may vary from design to design. Please enquire if this is a concern


Patterned Wall & Floor Liner Options (for an all over patterned finish, or mix and match with plain colours and tile bands)



Royal Mosaic




Mosaic




Crystal Mosaic




Roman Mosaic




Reflections



Elgin Blue





Tropical Mosaic (WSL)













Riverstone



Elgin Grey

Tile Band Option (continued)**Durham Grey****Durham Tan****Pompei Blue****Mykonos Blue****Olympia Blue****Ipanema Blue****Carthage Blue****Carthage Green****Persia Sand Mosaic****Persia Blue Mosaic**

WSL - Items marked as such are while stocks last.

Plain Liner Options (continued)**Sand****Pale Grey (WSL)****Aqua****Patterned Wall & Floor Liner Options (continued)****Persia Sand Mosaic****Persia Blue Mosaic****Bysantin Green (WSL)****Sandstone (WSL)****Bysantin Blue****Blue Marble****Grey Marble (WSL)****Pearl White****Pearl Black**

Certikin Liner Fabrication

Certikin Liner Fabrication

As the general ability to manufacture pool liners improves, it has become possible to fabricate more complex shapes and features into a single piece 'bag' liner. Curves and banks are common within pools, and as the popularity of slatted covers increases, pools which require ledges and pits to accommodate these are also being seen more and more. Liners can comfortably be manufactured to follow all of these shapes and features.

In addition, Certikin liners can now be fabricated to neatly follow the profile of a variety of internal and external pool steps, whether curved or straight. We require 100% accurate and detailed dimensions, but on supply of such the manufacture of almost any style or position of step is possible.

Steps will be formed in numerous ways depending on their style and can be of a single piece of vinyl which flows from the floor up the steps to the pool wall, or from multiple sections welded together to form the individual planes of each tread and riser. Liner steps can be formed using any patterned or plain colour but consideration should be given to how a shaped feature will appear – for example forming a mosaic liner over curved or angled steps can lead to the natural flow of the mosaic being compromised. Equally, steps with particularly tight angles and dimensions often need multiple, close range, welds – these can be emphasised if made in plain coloured liners. The overall best effect is seen in mid and pale coloured random pattern material.

Installation of the step is equally critical – the step should be positioned first and held in place with weights so it cannot move out of place as the remainder of the liner is positioned and stretched. There should be a minimum of 6" (150mm) of water on the top step to minimise any possibility of liner slip. It should always be made aware to pool owners that the fit of the liner over the steps does not guarantee it will not move – only the water pressure holds the liner in place. Equally, all should be aware that the vinyl from which steps are manufactured is not designed as a non-slip material and great care is needed when using this product in the pool.



Packaging

Most Certikin liners will be delivered to the required address in a steel reinforced card-fibre drum so the liner can be rolled rather than carried to the pool side.



Curved Corner Step (LVSTEPCC3) Lined In Cambridge Tile / Reflection Vinyl
Image Courtesy Of CAP Pool, Jersey.


Liner Step

| Code | Description | Price Euros € |
|-----------|--------------------------------------|---------------|
| LVSTEPIN3 | Liner step - Angled corner - 3 tread | |
| LVSTEPIN4 | Liner step - Angled corner - 4 tread | |
| LVSTEPCC3 | Liner step - Curved corner - 3 tread | |
| LVSTEPCC4 | Liner step - Curved corner - 4 tread | |
| LVSTEPSS3 | Liner step - Square stair - 3 tread | |
| LVSTEPSS4 | Liner step - Square stair - 4 tread | |
| LVSTEPRE3 | Liner step - Roman step - 3 tread | |
| LVSTEPRE4 | Liner step - Roman step - 4 tread | |
| LVSTEPIS3 | Liner step - Inside square - 3 tread | |
| LVSTEPIS4 | Liner step - Inside square - 4 tread | |
| LVSTEPFW3 | Liner step - Full width - 3 tread | |
| LVSTEPFW4 | Liner step - Full width - 4 tread | |



Angled Corner Step (LVSTEPIN3) Lined In Riverstone Vinyl
Image Courtesy of Pool Perfection

Certikin Fully Patterned Pool Liners



Tower Infinity 20 Thou Liner (0.5mm)

| Code | Description | Price Euros € |
|------|--|---------------|
| - | Tower Infinity Oceanstone Full Pattern 20 thou (per M ²) | |
| - | Tower Infinity Cambridge Border / Oceanstone (per M ²) | |

Exclusive To Certikin

Available in 20thou thickness in a vibrant Oceanstone finish either as an all over pattern, or with the Cambridge border, Tower Infinity offers exceptional chemical and ultraviolet resistance which reduces fading and increases the aesthetic quality of the pool liner over it's lifetime. Tower Infinity is manufactured on an enhanced quality vinyl and includes UV and fade resistant inks under a multi layered protective top lacquer.

Exclusive Contemporary Tile Band Liners.


Certikin's exclusive range of contemporary tile band liners offers a wide range of options, opening a new avenue of colours and designs which can contrast greatly from the standard and commonly seen traditional ranges.

Stock is held in two forms, a narrow width wall section with a pre-printed border over an exciting wall design, and then a wider floor section which is the same pattern as the background of the wall – hence the two combine together to form an all-over pattern with a distinctive co-ordinated tile band.


The pre-tailored wall depths offer a perfect fit against the common 3'4" shallow end wall, but because the floor panel is an exact match, any wall depth can be achieved by flowing the floor material up the wall.

Whilst the contemporary tile designs are pre-printed onto the basic wall design, it is also possible to cross-match these tile bands with any other patterned or plain wall/floor combination. We can manually trim the required tile band from one wall section and then weld it onto the desired wall pattern. Naturally this does introduce some wastage of materials and extra labour content for us, therefore a running metre surplus charge should be applied to the base cost of the liner you desire. For example, if you require the Savona Tile above a plain blue liner, add the price per metre stated below (multiplied by the perimeter of the pool) to the cost of a plain blue liner.


(This operation cannot be completed with the Florentia Tile Band. Tile band widths vary – please enquire if this will be a concern).




Cambridge Tile




Verona



Grey Riverstone



Savona



Florentia

Contemporary Tile Band Liners -

| Code | Description | Price Euros € |
|------|--|---------------|
| - | 0.75mm (30 thou) (per M ²) | |

Cross Match Tile Band

| LXMT | Cross match tile band - per metre | |
|------|-----------------------------------|--|
|------|-----------------------------------|--|

20 Thou = 0.5mm
30 Thou = 0.75mm
35 Thou = 0.85mm

Liner Pool Accessories



Liner underlay
for bag & site
lined pools



LVFELT

LVTAPE

Liner Pool Accessories

Liner underlay or foam is an essential extra for achieving the best possible finish for your newly lined pool. Suitable for site lined and bag lined pools, liner underlay or foam offers slight cushioning and protection to the rear of the lining and contributes a smoothing effect to the pool shell.

Our 8mm foam is cut to a 1.02m (3' 4") width to suit a standard wall depth and offers extra protection and cushioning in these higher impact areas. Foam is generally used on walls only. It is recommended that on metal panel walls felt is used in place of foam as differentials in temperature can cause condensation built up behind the liner – felt will allow this moisture to percolate to the pool floor as opposed to sit behind the membrane.

Underlay felt is suitable for all areas of a pool structure and is available in three grades. The industry standard 300g per m² product is available by the m² to suit individual installations or in trade rolls of 200m² (100m x 2m) for multiple installations.

Our reinforced underlay felt is a heavier duty (375g per m²) and includes a woven scrim which makes this felt more rigid and easier to position on the pool shell planes – it is also more durable and is commonly used on site lining installations (Certikin use this as standard when site-lining) and is available in full rolls of 50m x 2m

Our new economy felt is a finer, lighter-weight (250g per m²), lower price product designed to offer basic protection on smaller or lower cost pools.

Liner Underlay

| Code | Description | Price Euros € |
|------------|--|---------------|
| LVFELT | Standard 300g underlay (2m wide) per m ² | |
| LVFELT/210 | Standard 300g underlay (2m wide) - per 100m roll | |
| LVFELT/R | Reinforced 350g underlay (2m wide) per 50m roll (full roll only) | |
| LVFELT/E | Economy 250g Underlay (2m wide) - per 25m roll | |
| LVFOAM/8 | 8mm TA foam (1.02m wide) per 50m roll | |
| LVADH/SP | Liner underlay spray adhesive- box 12 cans (coverage 10-12m ² /tin) | |
| LVTAPE | Liner underlay tape 50m x 50mm | |



Linerlock Wedge

LVWEDGE Linerlock wedge - per 100m roll - white



Cover Up Strip

LVWEDGE/CUW Single flap cover up strip - 25 x 3m lengths - white



Linerlock Insert

LVINS Linerlock protective insert - per 60m roll

Linerlock

| | | |
|---------------|--|--|
| PG3861 | Linerlock corners - each | |
| 3859 | Side mount linerlock - per 3 metre lengths | |
| LKTM | Top mount linerlock - per 3 metre lengths | |

Certikin's Liner-Lock

Certikin's range of liner accessories are designed to offer a finishing touch to your liner installation. Our standard liner-lock wedge has a smooth rounded profile so in addition to securing the liner bead in place it offers a consistently neat trim in the opening of the liner-lock. Cover-up wedge performs in the same way as the standard wedge, but also gives a finishing trim above the liner-lock to cover any visible grout or cement seam above the liner-lock.

Finally, unique new liner-lock insert strip is designed for use when a pool is being built or refurbished. This simple but effective strip can be inserted into the mouth of the liner-lock and will prevent the mouth being crushed closed by copings and will stop debris and mortar/grout settling in the liner-lock during construction/refurbishment. The insert strip can be left in the liner-lock right up to the point when the liner is installed, the insert can then be simply pulled out with its attached tab.

Liner Pool Accessories



Leakmaster Patches

| | |
|----------------|---------------------------------------|
| LVPS123 | Peel & Stick Vinyl Patches - Assorted |
|----------------|---------------------------------------|

Leakmaster Peel & Stick Vinyl Pool Patches are an excellent addition to the range – offering instant adhesion onto vinyl liners under water. If you have a small puncture or tear in your liner, simply wipe the area to clean lightly, peel off the patch backing and apply into place. The instant grab solvent free adhesives immediately adhere to the liner and the bond strength continues to build over a 24 hour period.

The patches are practically invisible when underwater and will not yellow over time. Available in a multi-pack of 4 x 2", 7 x 1" and 10 x 1". The patches are pre-cut to diameters. No glues or adhesives are required – literally peel and stick.



Leakmaster Flexible Sealer

| | |
|---------------|--|
| LVFS4W | Flexible sealer / leak repair 4oz tube - white |
| LVFS4B | Flexible sealer / leak repair 4oz tube - blue |

Manufactured by leak-repair specialists Anderson, Leakmaster is a nitrile-rubber based sealant which provides a strong adhesive bond to almost any surface around the pool – including liner vinyl. When applied to a surface, Leakmaster skins over in seconds, even underwater, and can then be flattened into place leaving a strong but flexible repair which can fully cure in minutes depending on the application.

- Seals vinyl liner leaks with or without a patch
- Seals between liner and face plates and fittings
- Can be used as a thread sealant
- Seals small cracks in concrete and render
- Can be applied underwater
- Available in white and light blue




Leakmaster Patches

| | |
|--------------|---|
| LVDTY | Single dye tester - fluorescent yellow |
| LVDTB | Single dye tester - blue |
| LVYD8 | 8oz bottle of dye refill - fluorescent yellow |
| LVBD8 | 8oz bottle of dye refill - blue |

These convenient syringe style testers are charged with a special concentrated dye that holds together underwater. A six-inch plastic 'needle' allows for precise dye placement without creating unwanted currents.

- Identify the precise location of structural pool leaks
- Identify water movement in or out of pipes
- Can be re-filled with Leakmaster dye
- Available in blue (for light backgrounds) and fluorescent yellow (for dark backgrounds).
- Sold as single units



Leakmaster Butyl Tape

| | |
|---------------|--|
| LVBT15 | Leakmaster Butyl Tape - 15 feet (4.5 metres) |
|---------------|--|

Hand-mouldable rubber gap filler that can be applied underwater without the mess of sealants or mixed products. The tape retains a flexible, tacky consistency making it well suited for a variety of permanent and temporary leak-stopping applications.

- Replace gaskets without removing the fitting
- Fill and seal cracks, gaps and voids
- Ideal for packing around cable where glands have perished.
- Available in 15' length
- Workable at temperatures below freezing
- Can be removed if required

Liner Pool Accessories & Pool Repair



Quick Set Repair Putty

| | |
|---------------|-------------------------|
| RP100Q | 125gms (1/2 hr setting) |
|---------------|-------------------------|



Fix-a-leak

| | |
|--------------|--------------------|
| FL-32 | Fix-a-leak 32fl oz |
|--------------|--------------------|



Tufmix - 500gms

| | |
|----------------|-----------------|
| TM80901 | Tufmix - 500gms |
|----------------|-----------------|



Self Adhesive Patches - Small

| | |
|---------------|--|
| UN3575 | Small underwater self adhesive patches |
|---------------|--|



Self Adhesive Patches - Large

| | |
|---------------|--|
| UN3576 | Large underwater self adhesive patches |
|---------------|--|



Underwater Glue - Tin

| | |
|---------------|--------------------------------|
| UN3582 | Underwater glue - 1/4 pint tin |
| UN3580 | Underwater glue - 1 pint tin |



Underwater Glue - Tube

| | |
|---------------|-------------------------------|
| UN3577 | Tube of glue & material - 1oz |
| UN3578 | Tube of glue & material - 2oz |
| UN3579 | Tube of glue & material - 4oz |



Sunsorb

| | |
|--------------|----------|
| SSORB | Sun Sorb |
|--------------|----------|

Sun-Sorb:

Sun-Sorb attracts body oils, suntan lotions and cosmetics, providing better water quality, longer filter cycles and, primarily, helping to stop the formation of a scum line. Manufactured from patented, non-toxic, molecular foam, the Sun-Sorb is suitable for pools, spas and hot-tubs and can be floated in open water or placed in the skimmer.

The special foam repels water but will absorb up to 40 times its weight in body oils and suntan lotions and also attracts pollen – drawing all of these articles into the foam as opposed to settling on the pool wall or within the filter. Its large surface area means it will not get clogged in water lines and one Sun-Sorb will typically last one season in a pool or three months in a spa/hot tub under normal conditions.